




New generation Hyper E500. It has effectively increased the intensity of LED light source (22% ~ 143% or more)



YODN Hyper E500 illuminator is a brand new light source specially made for fluorescence microscopes. Our illuminator equips the best LED light engine, produces spectrums that can fulfill most of the research lighting demands with its Broadband spectrums design methodology. It helps you conduct your works easily in an energy efficient way. It produces spectrums from 350 nm to 700 nm by latest LED technology, a true broadband illuminator that can support different fluorescence excitation, such as DAPI, GFP/FITC, mCherry/Texas Red, Cy5, and more. Besides, the LED long life characteristic makes you don't worry about the bulb replacement. YODN Hyper E500 is the best choice for fluorescence microscope researches.

HYPER E500

Broadband Excitation Illuminator for Fluorescence Microscope



Features

LED light source

Benefits

Eco-friendly design, long life, instant on/off, stable light output.

Broadband spectrum

Broadband spectrum (350 nm – 700 nm), sufficient to use in all research occasions related to fluorescence, such as DAPI, GFP/FITC, mCherry/Texas Red, and Cy5 excitation.

Simple operation

Use smart control pad to switch your LED intensity/channel easily.

Low photo-bleaching rate

LED cold light used; increase the fluorescence cell sample survival rate.


Special thermal system for LED light engine

Control the light engine/illuminator at the best operation temperature and performance.



HYPER E500


Broadband Excitation Illuminator for Fluorescence Microscope




Specification

Wavelength range	350 ~ 700 nm
LED peaks/FWHM	365/20 nm, 460/40 nm, 560/80 nm
External power supply	Universal input 100-240 VAC, 50/60 Hz
Power consumption	138 W
LED on/off response time	1 ms
Control pad	On/off; LED intensity adjustment (all/single channel)
Dimensions (WxDxH) mm (Excluding rubber legs)	Illuminator: 81 x 152 x 206 Control pad: 108 x 152 x 55 Power adapter: 72 x 175 x 35
Weight	Approx. 2.6 kg (including power supply, control pad)
Warranty	Illuminator: 24 months
Standard configuration	Illuminator, control pad, adaptor (choose one), integrated power supply.
Option	1.5 m long, Φ3 mm liquid light guide/stand, collimators.
Certifications	CE, RoHS

Spectrum



Dimensions



Configuration & Accessories Illustration

YODN Hyper E500 Illuminator

Standard configuration

Leica Nikon Olympus Zeiss Motic

Adaptor (choose one)

Option

Liquid light guide/stand Collimator

Leica Nikon Olympus Zeiss Motic

YODN Lighting Corp.

6F, No. 1, Creation Rd. II, Science-Based Industrial Park, Hsin-chu City, 30077 Taiwan

TEL: +886-3-5637218 FAX: +886-3-5794581

Contact: Vic Hsu

Email: vic_hsu@yodnlighting.com

WhatsApp: +886-919976358

